

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

<u>Product</u>	<u>MSDS</u>	<u>Distributor</u>	<u>Format</u>	<u>Language</u>	<u>Quantity</u>
2503025	N/A	Hach Company	OSHA	English	1

Total Enclosures: 1

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00110

Material Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DPD Total Chlorine Reagent
Catalog Number: 2503025

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00110
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: May cause sensitization. May cause irritation.
Date of MSDS Preparation:
Day: 12
Month: 03
Year: 2003

2. COMPOSITION / INFORMATION ON INGREDIENTS

Potassium Iodide

CAS No.: 7681140
TSCA CAS Number: 7681-11-0
Percent Range: 20.0 - 30.0
Percent Range Units: weight / weight
LD50: Oral Mouse LD50 = 1862 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Causes irritation.

Salt of N,N-Diethyl-p-Phenylenediamine

CAS No.: Confidential
TSCA CAS Number: Confidential
Percent Range: 1.0 - 5.0
Percent Range Units: weight / weight
LD50: Oral rat LD₅₀ = 970 mg/kg.
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: May cause sensitization. May cause irritation.

Sodium Phosphate, Dibasic

CAS No.: 7558794
TSCA CAS Number: 7558-79-4
Percent Range: 20.0 - 30.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 17 g/kg.
LC50: None reported
TLV: Not established
PEL: Not established

Hazard: May cause irritation.

Other component

CAS No.: Not applicable

TSCA CAS Number: Not applicable

Percent Range: 0.1 - 1.0

Percent Range Units: weight / weight

LD50: Not applicable

LC50: Not applicable

TLV: Not established

PEL: Not established

Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

Carboxylate Salt

CAS No.: Confidential

TSCA CAS Number: Confidential

Percent Range: 40.0 - 50.0

Percent Range Units: weight / weight

LD50: None reported

LC50: None reported

TLV: Not established

PEL: Not established

Hazard: May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: White or light pink powder

Odor: None

MAY CAUSE EYE AND RESPIRATORY TRACT IRRITATION

MAY CAUSE ALLERGIC SKIN REACTION

HMIS:

Health: 2

Flammability: 1

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1

Flammability: 1

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: May cause irritation

Skin Contact: May cause irritation May cause allergic reaction

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: Causes: lethargy loss of strength loss of coordination difficult breathing diarrhea May cause iodism, which symptoms include skin rash, conjunctivitis, runny nose, sneezing, bronchitis, headache, fever and irritation of mucous membranes. DPD Oral rat LD50 studies revealed decreased locomotor activity, depressed respiration, muscle spasms, loss of righting reflex and death. Autopsies revealed ulcerated stomach, enteritis, gas and congested lungs.

Target Organs: Liver

Inhalation: May cause: respiratory tract irritation Effects similar to those of ingestion.

Target Organs: Liver

Medical Conditions Aggravated: Allergy or sensitivity to salts of N,N-Diethyl-p-phenylenediamine Pre-existing: Eye conditions Skin conditions Respiratory conditions Persons with pre-existing respiratory conditions may be more susceptible to the effects of Potassium Iodide exposure.

Chronic Effects: Chronic overexposure may cause allergic skin reactions hypothyroidism liver damage DPD may cause allergic skin reactions in some people causing severe skin rashes and itching. Iodines overdose, 'iodism', may cause skin rash, runny nose, headaches, fever and bronchitis.

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Maternal ingestion of potassium iodide during pregnancy may cause congenital goiter and hyperthyroidism in the newborn infant.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Call physician immediately. Give 1-2 glasses of water under medical supervision. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, this product decomposes to form toxic gases.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Hazardous Combustion Products: Toxic fumes of: carbon monoxide, carbon dioxide. iodine compounds phosphorus oxides potassium oxides sodium monoxide nitrogen oxides.

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Scoop up spilled material into a large beaker and dissolve with water. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Mixture contains a component which is regulated as a water pollutant.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: Not applicable

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store between 10° and 25°C. Protect from: light heat moisture

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Use general ventilation to minimize exposure to mist, vapor or dust.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: dust Wash thoroughly after handling. Protect from: light heat moisture

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White or light pink powder

Physical State: Solid

Molecular Weight: Not applicable

Odor: None

pH: of 1% soln = 6.35 @ 20°C

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not applicable

Melting Point: 145° C

Specific Gravity (water = 1): 1.79

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not determined

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 0.038 in/yr

Aluminum: 0.006 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Exposure to light. Excess moisture Extreme temperatures

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: carbon dioxide carbon monoxide iodine compounds phosphorus oxides potassium oxide nitrogen oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: Oral rat (female) LD₅₀ = 4700 mg/kg; Oral rat (male) LD₅₀ = 7000 mg/kg.

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: None reported

Reproductive Effects Data: None reported

Ingredient Toxicological Data: DPD Oral rat LD50 = 970 mg/kg; Potassium Iodide Oral mouse LDLo = 1862 mg/kg; Sodium Phosphate, Dibasic Oral rat LD50 = 17 g/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Sodium phosphate, dibasic 5000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Sodium phosphate, dibasic - RQ 5000 lbs.

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

Trade Secret Registry: New Jersey Trade Secret Registry Number 80100131-5001 (Carboxylate Salt) New Jersey Trade Secret Registry Number 80100131-5002 (DPD Salt) New York Trade Secret Registry Number 478 (DPD Salt) New York Trade Secret Registry Number 479 (Carboxylate Salt) This product complies with Pennsylvania Trade Secret Regulations. This product is registered as a trade secret in the state of Illinois. This product is registered as a trade secret in the state of Massachusetts. This product is registered as a trade secret in the state of New York.

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Indicator for total chlorine

References: CCINFO MSDS/FTSS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Outside Testing. Technical Judgment. In-house information. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983.

Revision Summary:

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2003